

NEMO^{USA}

IN THE WIND FLOOR

Arihiro Miyake

Floor and pendant lamps for warm and widespread LED lighting. The body is manufactured through a technology of torsion and misalignment of the extruded aluminum bar allowing for 360 degrees LED emission. This technology was extensively studied by Nemo (patent pending). Heads are in die-casted aluminum. Diffusers are in opal metacrylate. Heads, base and arms are painted in matt white, matt black, titan grey or gold. For the floor version, switch and dimmer are on the cable.



IN THE WIND FLOOR

Arihiro Miyake

LED 3000K

Lamping

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimnable
Tension	120V
Color temperature	3000K
Luminous flux	2850lm
Typ cri	83
Energy class	A+
Ip class	20
Dimensions	Ø 10.2 X H 72
Materials	aluminum + PC
Notes	cable length 6.6' , dimmer on cable, patent pending



Codes

ITW LWW 21
white

ITW LNW 21
white

ITW LGW 21
white

ITW LDW 21
white

Net lamp weight

Structure

white

black

gold

titan grey

16.5 lbs

Diffuser

Package 1

Dimensions 11.8 X 12.6 X 4.7

Gross weight 13.5 lbs

Package 2

Dimensions 11 X 11 X 76.8

Gross weight 12.1 lbs

IN THE WIND FLOOR

Arihiro Miyake

LED 2700K

Lamping

Total power	58W
Color temperature	2700K
Luminous flux	2570lm

Codes

	Structure	Diffuser
ITW LWW 22	white	
white		
ITW LNW 22	black	
white		
ITW LGW 22	gold	
white		
ITW LDW 22	titan grey	
white/white		

